



### IMAX-T TRACKLIGHT

**COZA Lighting has the following standard and options**

**STANDARD:** Citizen led (3 step Mac Adam LED), Global Adaptor, Hep/Tridonic top level driver, 5 years warranty  
CRI 90, CCT 3000K, IP44 indoor




**OPTIONAL:** Dimming driver (0-10V Dim, Triac dim, dali dim), 3 years warranty  
CRI 80, CCT (2700K, 4000K, 5000K) , IP48, Turnable white  
when need track system: power gear adaptor+power gear track system

**Price term: Exwork factory Shenzhen price, MOQ 10K usd**

We welcome bo-brand cooperation, but if you have Customized Standard, we required MOQ 300pcs/item





Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist,  
Shenzhen, China518103  
crystal@cozatech.net  
www.cozatech.net  
+86 188 2504 4913  
ATN: Crystal Tan  
HongKong Coza Tech Co., Limited



IMAX-T TRACKLIGHT					
NO.	Image	Description	Model NO.	Details	Unit price (USD)
1		IMAX-T LED Track Light	ENTLI010-51	Main material: Citizen led, Global Adaptor Wattage: 10W Input voltage: AC220-240V,50/60Hz Power factor: >0.90 CCT: 2700K, 3000K, 4000K, 5000K CRI: 80+, 90+ Luminous flux: 914-1099lm(CRI80+) 822-989lm(CRI90+) Beam angle: 15, 24, 38, 60° Dimension: 75(Dia.)X163(H)mm N.W.: 0.71kg	26.50
				Triac dimming	31.94
2		IMAX-T LED Track Light	ENTLI015-51	Main material: Citizen led, Global Adaptor Wattage: 15W Input voltage: AC220-240V,50/60Hz Power factor: >0.90 CCT: 2700K, 3000K, 4000K, 5000K CRI: 80+, 90+ Luminous flux: 1371-1648lm(CRI80+) 1234-1483lm(CRI90+) Beam angle: 15, 24, 38, 60° Dimension: 75(Dia.)X163(H)mm N.W.: 0.71kg	28.01
				Triac dimming	32.85
				DALI dimming	56.52
3		IMAX-T LED Track Light	ENTLI020-51	Main material: Citizen led, Global Adaptor Wattage: 20W Input voltage: AC220-240V,50/60Hz Power factor: >0.90 CCT: 2700K, 3000K, 4000K, 5000K CRI: 80+, 90+ Luminous flux: 1855-2232lm(CRI80+) 1670-2009lm(CRI90+) Beam angle: 15, 24, 38, 60° Dimension: 75(Dia.)X163(H)mm N.W.: 0.9kg	32.90
				Triac dimming	38.95
				DALI dimming	60.51

Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist,  
Shenzhen, China518103  
crystal@cozatech.net  
www.cozatech.net  
+86 188 2504 4913  
ATN: Crystal Tan  
HongKong Coza Tech Co., Limited



IMAX-T TRACKLIGHT							
NO.	Image	Description	Model NO.	Details		Unit price (USD)	
4		IMAX-T LED Track Light with Track adaptor driver	ENTLI030-51	Main material: Citizen led, Global Adaptor		37.09	
				Wattage: 30W			
				Input voltage: AC220-240V,50/60Hz			
				Power factor: >0.90			
				CCT: 2700K, 3000K, 4000K, 5000K			
				CRI: 80+, 90+			
				Luminous flux: 2438-2925lm(CRI80+)			
				2194-2633lm(CRI90+)			
				Beam angle: 15, 24, 38, 60°			
				Dimension: 75(Dia.)X163(H)mm			
				N.W.: 1.07kg			
				Philippis Non-DIM			39.80
				DALI dimming			62.44
Accessories:							
1		Honeycomb Mesh (10W,15W,20W, 30W)	ENTLI-AC03	Available model:	ENTLI010-51 ENTLI015-51 ENTLI020-51 ENTLI030-51	5.59	
2		Cross Louve (10W,15W,20W, 30W)	ENTLI-AC04	Available model:	ENTLI010-51 ENTLI015-51 ENTLI020-51 ENTLI030-51	5.29	
3		Surface mounting (round plate+track)	ENC100	Available model:  Available track adaptor:	All models with 4-wire track adaptor  4-wire(3-circuit)	13.34	