

COZA

www.cozatech.net

Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist, Shenzhen, China 518103

COZA

Museum and Architectural Lighting Collection

Lighting design solution

Ovega

Museum lighting design with different Mounting options: Track Mount, Wall Mount, Pendant Mount, Surface Mount

Coza's Ovega Standard: CRI90+, Citizen LED, Tridonic or HEP on/off Driver, Global Adaptor (exception: Supper Spot and Plug used CREE LED) New! Citizen led can be updated to CRI95. Inform your sales rep when you need.

Ovega **Optional:** Factory Triac Dim Driver (Now Ovega Triac dim driver mostly use HEP driver, 5 year warranty, CRI80+ with brighter light output, Cree LED, if customer request to order Track system from us, our product will automatically use non Global adaptor, Tunable white Ovega is a project optional item for distributor

Ovega Functional classification:

- 1 Ovega Supper Spot (6 degree narrow beam)
- 2 Ovega Wall Washer
- 3 Ovega Premium (change lens to change angle)
- 4 Ovega Zoomable (Twist and change angle)
- 5 Ovega Plus (for wide flood)
- 6 Ovega projector (for various transformation)

Optional item: Tunable white Ovega (provide upon request for old customer)

Remarks:

1. Price terms: Price based on Ex-Works Shenzhen China. Each order we require to meet MOQ 10000USD, if MOQ was not met, it will have a 100 USD handling charge
- 2 On/off Tridonic/Hep Driver: 5 years factory warranty, (Dimming driver: 3 years Factory warranty. (Coza's standard offers 5 years warranty. For optional item or material, it offer 2-3 years warranty.)
- 3 **When you order Dimming driver option, please be aware to discuss with sales rep to ensure your controller is compatible with the project dimming driver before order.**
4. **Each season, if order total exceed 30,000USD, you can have a 5% rebate for the next order. Each customer have 3 time sample/Trial order.**
5. Standard Packing: COZA brand on products and package (brand was filed as safety European Trade mark)
6. This price list is valid for 3 Months.

Quotation in the following pages...



Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist,
Shenzhen, China518103
crystal@cozatech.net
www.cozatech.net
+86 188 2504 4913
ATN: Crystal Tan
HongKong Coza Tech Co., Limited

COZA
VICTORA

1 Ovega Super spot Price											
NO	Image	Description	Model NO.	Details		Unit price (USD)					
●The driver brands in the price list are HEP(Non-DIM、 TRIAC-DIM、 DALI-DIM and CASAMBI) and RXPOWER(Built-in Dimmer(0-10V DIM)).											
●GLOBAL 4-PIN track adaptor.											
1		OVEGA Narrow Beam LED Track Light	EN-TLO010-01	LED brand:	CREE	40.48					
				Wattage:	10W						
				Input voltage:	220-240V AC, 50/60Hz						
				Power Factor:	>0.9						
				CCT:	2700K, 3000K, 4000K,						
				CRI:	80+, 90+						
				Luminous flux:	615lm(CRI80+)—3000K 586lm(CRI90+)—3000K						
				Beam angle:	6°						
				Dimension:	60(Dia.)x 136(H) mm						
				Weight:	0.5kgs						
				TRIAC Dimming			44.38				
				DALI Dimming			73.93				
				CASAMBI			128.29				
2		OVEGA Narrow Beam LED Track Light (Surface-mounted)	EN-TLO010-02	LED brand:	CREE	37.56					
				Wattage:	10W						
				Input voltage:	220-240V AC, 50/60Hz						
				Power Factor:	>0.9						
				CCT:	2700K, 3000K, 4000K,						
				CRI:	80+, 90+						
				Luminous flux:	615lm(CRI80+)—3000K 586lm(CRI90+)—3000K						
				Beam angle:	6°						
				Dimension:	60(Dia.)x 157(H) mm						
				Weight:	0.5kgs						
				TRIAC Dimming			42.14				
				3			OVEGA Narrow Beam LED Track Light	EN-TLO010-03	LED brand:	CREE	47.61
									Wattage:	10W	
Input voltage:	220-240V AC, 50/60Hz										
Power Factor:	>0.9										
CCT:	2700K, 3000K, 4000K,										
CRI:	80+, 90+										
Luminous flux:	615lm(CRI80+)—3000K 586lm(CRI90+)—3000K										



Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist,
Shenzhen, China518103
crystal@cozatech.net
www.cozatech.net
+86 188 2504 4913
ATN: Crystal Tan
HongKong Coza Tech Co., Limited

COZA
VICTORA

1 Ovega Super spot Price						
NO	Image	Description	Model NO.	Details		Unit price (USD)
		(Suspending)		Beam angle:	6°	51.37
				Dimension:	60(Dia.)x1429±50(H) mm	
				Weight:	0.6kgs	
				TRIAC Dimming		



Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist,
Shenzhen, China518103
crystal@cozatech.net
www.cozatech.net
+86 188 2504 4913
ATN: Crystal Tan
HongKong Coza Tech Co., Limited

COZA
VICTORA

1 Ovega Super spot Price						
NO	Image	Description	Model NO.	Details		Unit price (USD)
4		OVEGA Narrow Beam LED Track Light (Wall mounted)	EN-TLO010-04	LED brand:	CREE	40.43
				Wattage:	10W	
				Input voltage:	220-240V AC, 50/60Hz	
				Power Factor:	>0.9	
				CCT:	2700K, 3000K, 4000K,	
				CRI:	80+, 90+	
				Luminous flux:	615lm(CRI80+)—3000K 586lm(CRI90+)—3000K	
				Beam angle:	6°	
				Dimension:	60(Dia.)x 136(H) mm	
				Weight:	0.6kgs	
TRIAC Dimming					44.55	
Accessories:						
1		Optical Lens (8pcs different Optical Lens in one package)	EN-TLO-AC12	Simply adding extra optical lens, the light shape can be changed to big circle, square, rectangular, line.....  Circular Small  Circular Big  Recatagular  Narrow Line  Square Small  Square Big  Middle Line  Wide Line		8.49
2		Surface mounting accessory	EN-C100	Available model:	All models with 4-pin track adaptor	12.10

Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist,
Shenzhen, China518103
crystal@cozatech.net
www.cozatech.net
+86 188 2504 4913
ATN: Crystal Tan
HongKong Coza Tech Co., Limited

COZA
VICTORA

OVEGA Super spot PRICE

NO	Image	Description	Model NO.	Details	Unit price (USD)					
					MOQ (100pcs)	1000pcs	2000pcs			
●The driver brands in the price list are HEP(Non-DIM、TRIAC-DIM、DALI-DIM and CASAMBI) and RXPOWER(Built-in)										
●The unit price goes up 1.35USD for GLOBAL 4-PIN track adaptor.										
1		OVEGA Narrow Beam LED Track Light	EN-TLO010-01	LED brand: CREE Wattage: 10W Input voltage: 220-240V AC, 50/60Hz Power >0.9 CCT: 2700K, 3000K, 4000K, CRI: 80+, 90+ Luminous flux: 615lm(CRI80+)—3000K 586lm(CRI90+)—3000K Beam angle: 6° Dimension: 60(Dia.)x 136(H) mm Weight: 0.5kgs	28.87	27.50	25.86			
				TRIAC Dimming				31.69	30.18	28.38
				DALI Dimming				54.10	51.53	48.45
				CASAMBI				94.87	90.35	84.96
2		OVEGA Narrow Beam LED Track Light (Surface-mounted)	EN-TLO010-02	LED brand: CREE Wattage: 10W Input voltage: 220-240V AC, 50/60Hz Power >0.9 CCT: 2700K, 3000K, 4000K, CRI: 80+, 90+ Luminous flux: 615lm(CRI80+)—3000K 586lm(CRI90+)—3000K Beam angle: 6° Dimension: 60(Dia.)x 157(H) mm Weight: 0.5kgs	26.41	25.15	23.65			
				TRIAC Dimming				29.23	27.84	26.18
3		OVEGA Narrow Beam LED Track Light (Suspending)	EN-TLO010-03	LED brand: CREE Wattage: 10W Input voltage: 220-240V AC, 50/60Hz Power >0.9 CCT: 2700K, 3000K, 4000K, CRI: 80+, 90+ Luminous flux: 615lm(CRI80+)—3000K 586lm(CRI90+)—3000K Beam angle: 6° Dimension: 60(Dia.)x1429±50(H) mm Weight: 0.6kgs	34.36	32.72	30.77			
				TRIAC Dimming				37.18	35.41	33.30
4		OVEGA Narrow Beam LED Track Light (Wall	EN-TLO010-04	LED brand: CREE Wattage: 10W Input voltage: 220-240V AC, 50/60Hz Power >0.9 CCT: 2700K, 3000K, 4000K, CRI: 80+, 90+ Luminous flux: 615lm(CRI80+)—3000K 586lm(CRI90+)—3000K Beam angle: 6°	28.97	27.59	25.95			

Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist,
Shenzhen, China518103
crystal@cozatech.net
www.cozatech.net
+86 188 2504 4913
ATN: Crystal Tan
HongKong Coza Tech Co., Limited




OVEGA Super spot PRICE

NO	Image	Description	Model NO.	Details	Unit price (USD)		
					MOQ (100pcs)	1000pcs	2000pcs
		mounted)		Dimension: 60(Dia.)x 136(H) mm Weight: 0.6kgs			
				TRIAC Dimming	31.79	30.28	28.47

Add: 2/F, Bldg 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an Dist,
Shenzhen, China518103
crystal@cozatech.net
www.cozatech.net
+86 188 2504 4913
ATN: Crystal Tan
HongKong Coza Tech Co., Limited



OVEGA Super spot PRICE

NO .	Image	Description	Model NO.	Details		Unit price (USD)		
						MOQ (100pcs)	1000pcs	2000pcs
Accessories:								
1		Optical Lens (8pcs different Optical Lens in one package)	EN-TLO-AC12	Simply adding extra optical lens, the light shape can be changed to big circle, square, rectangular, line..... 		5.02		
2		Surface mounting accessory	EN-C100	Available model:	All models with 4-pin track adaptor	7.73		

PRICE LIST

NO.	Image	Description	Model NO.	Details	Unit price (USD)		
					MOQ (100pcs)	1000pcs	2000pcs
●The driver brands in the price list are HEP (Non-DIM、TRIAC-DIM、DALI-DIM and CASAMBI) and RXPOWER (Built-in Dimmer(0-10V)).							
●The unit price goes up 1.35USD for GLOBAL 4-PIN track adaptor .							
1		OVEGA Narrow Beam LED Track Light	EN-TLO010-01	LED brand: CREE Wattage: 10W Input: 220-240V AC, 50/60Hz Power: >0.9 CCT: 2700K, 3000K, 4000K, CRI: 80+, 90+ Luminous flux: 615lm(CRI80+)—3000K 586lm(CRI 90+)—3000K Beam angle: 6° Dimension: 60(Dia.)x 136(H) mm Weight: 0.5kgs TRIAC Dimming DALI Dimming CASAMBI	28.87 31.69 54.10 94.87	27.50 30.18 51.53 90.35	25.86 28.38 48.45 84.96
2		OVEGA Narrow Beam LED Track Light (Surface-mounted)	EN-TLO010-02	LED brand: CREE Wattage: 10W Input: 220-240V AC, 50/60Hz Power: >0.9 CCT: 2700K, 3000K, 4000K, CRI: 80+, 90+ Luminous flux: 615lm(CRI80+)—3000K 586lm(CRI 90+)—3000K Beam angle: 6° Dimension: 60(Dia.)x 157(H) mm Weight: 0.5kgs TRIAC Dimming	26.41 29.23	25.15 27.84	23.65 26.18
3		OVEGA Narrow Beam LED Track Light (Suspended)	EN-TLO010-03	LED brand: CREE Wattage: 10W Input: 220-240V AC, 50/60Hz Power: >0.9 CCT: 2700K, 3000K, 4000K, CRI: 80+, 90+ Luminous flux: 615lm(CRI80+)—3000K 586lm(CRI 90+)—3000K Beam angle: 6° Dimension: 60(Dia.)x1429±50(H) mm Weight: 0.6kgs TRIAC Dimming	34.36 37.18	32.72 35.41	30.77 33.30
4		OVEGA Narrow Beam LED Track Light (Wall mounted)	EN-TLO010-04	LED brand: CREE Wattage: 10W Input: 220-240V AC, 50/60Hz Power: >0.9 CCT: 2700K, 3000K, 4000K, CRI: 80+, 90+ Luminous flux: 615lm(CRI80+)—3000K 586lm(CRI 90+)—3000K Beam angle: 6° Dimension: 60(Dia.)x 136(H) mm Weight: 0.6kgs TRIAC Dimming	28.97 31.79	27.59 30.28	25.95 28.47

PRICE LIST

NO.	Image	Description	Model NO.	Details	Unit price (USD)		
					MOQ (100pcs)	1000pcs	2000pcs

Accessories:

1		Optical Lens (8pcs different Optical Lens in one package)	EN-TLO-AC12	Simply adding extra optical lens, the light shape can be changed to big circle, square, rectangular, line.....		5.02	
				 Circular Small	 Circular Big		 Rectatagular
				 Square Small	 Square Big	 Middle Line	 Wide Line
2		Surface mounting accessory	EN-C100	Available model:	All models with 4-pin track adaptor		7.73

Remarks:

1. Sample order: extra 10% cost will be added based on MOQ price.
2. Price terms: Price includes driver cost for Ex-Works Shenzhen China.
3. Standard Packing: Neutral package without any logo. Customized packing should be negotiated separately, for example: Customized colorful boxes, laser marking and so on.
4. If any other special requirements, please inform us before you confirm the order.